


HotSpot JBS components

The HotSpot team owns two components in JBS: hotspot and core-svc.

 Please note that all issues in the hotspot component are required to have a subcomponent set.

Team	JBS component	JBS query
Compiler	hotspot / compiler	<code>component = hotspot AND Subcomponent = compiler</code>
GC	hotspot / gc	<code>component = hotspot AND Subcomponent = gc</code>
Runtime	hotspot / runtime hotspot / jfr	<code>component = hotspot AND Subcomponent in (runtime, jfr)</code>
Serviceability	hotspot / jvmti hotspot / svc core-svc core-svc / debugger core-svc / tools core-svc / java.lang.instrument tools / hprof	<code>((component = hotspot AND Subcomponent in (jvmti, svc)) OR (component = core-svc AND (Subcomponent is EMPTY OR Subcomponent in (debugger, tools, java.lang.instrument))) OR (component = tools AND Subcomponent = hprof))</code>
Monitor and Management	hotspot / svc-agent core-svc / java.lang.management core-svc / javax.management	<code>((component = hotspot AND Subcomponent = svc-agent) OR (component = core-svc AND (Subcomponent in (java.lang.management, javax.management))</code>
Test	hotspot / test	<code>component = hotspot AND Subcomponent = test</code>